SYNTHETIC EXAMPLE

ADI-R

ADI-R - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Clinician-led interview

TOTAL

43 / 72

DEMO SYNTHETIC



43/72

What this report lays out

- Source instrument: ADI-R
- Item count: 12 items
- Response format: 7 options
- Respondent: Clinician-led interview

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored ADI-R result, cannot establish a diagnosis, and must not be placed in a clinical record.

ADI-R does not by itself diagnose autism. It is one structured history source used with observation and clinical formulation.

A report designed for clinical review

Synthetic ADI-R example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

A trained interviewer works through official ADI-R materials with a caregiver or informant. This is not a client self-report and not a public test.

CONTEXT

Lirena's implemented rule for ADI-R follows the committed scoring definition. The implemented range is 0 to 72. Implemented bands: below_algorithm_threshold (0 to 7); algorithm_threshold_met (8 to 72). Lirena's implemented cutoff is 8.

BOUNDARY

ADI-R does not by itself diagnose autism. It is one structured history source used with observation and clinical formulation.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

ADI-R response pattern

Synthetic responses for ADI-R. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	0 - absent
2	Total	1
3	Total	2
4	Total	3
5	Total	4
6	Total	5
7	Total	6 - extreme
8	Total	0 - absent
9	Total	1
10	Total	2
11	Total	3
12	Total	4

Synthetic ADI-R values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Autism Diagnostic Interview-Revised is a comprehensive caregiver interview used in specialist autism assessment. It explores developmental history and current behaviour. It is not a brief screen.

ADMINISTRATION

A trained interviewer works through official ADI-R materials with a caregiver or informant. This is not a client self-report and not a public test.

CLINICAL BOUNDARY

ADI-R does not by itself diagnose autism. It is one structured history source used with observation and clinical formulation.

METHODOLOGY

Lirena's implemented rule for ADI-R follows the committed scoring definition. The implemented range is 0 to 72. Implemented bands: below_algorithm_threshold (0 to 7); algorithm_threshold_met (8 to 72). Lirena's implemented cutoff is 8.

SELECTED REFERENCES

1. Publisher information

Western Psychological Services. Autism Diagnostic Interview-Revised.