SYNTHETIC EXAMPLE

ADOS-2

ADOS-2 - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Clinician-led interview

TOTAL

55 / 60

DEMO SYNTHETIC



What this report lays out

- Source instrument: ADOS-2
- Item count: 10 items
- Response format: 7 options
- Respondent: Clinician-led interview

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored ADOS-2 result, cannot establish a diagnosis, and must not be placed in a clinical record.

ADOS-2 is one specialist input. It does not by itself diagnose autism or replace developmental history, adaptive information, and clinical formulation.

A report designed for clinical review

Synthetic ADOS-2 example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

A trained examiner uses official modules, toys/materials, and scoring conventions. Digital catalogue listing does not make ADOS-2 a remote self-test.

CONTEXT

ADOS-2 is a proprietary, training-dependent diagnostic protocol. This is a structured result shell only; administer and score with official ADOS-2 materials. The implemented range is 0 to 60. Lirena's implemented cutoff is 7.

BOUNDARY

ADOS-2 is one specialist input. It does not by itself diagnose autism or replace developmental history, adaptive information, and clinical formulation.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

ADOS-2 response pattern

Synthetic responses for ADOS-2. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	0 - absent
2	Total	1
3	Total	2
4	Total	3
5	Total	4
6	Total	5
7	Total	6 - extreme
8	Total	0 - absent
9	Total	1
10	Total	2

Synthetic ADOS-2 values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Autism Diagnostic Observation Schedule, Second Edition, is a semi-structured observational assessment published by WPS. Modules vary by age and language. It is specialist work, not a self-report pack.

ADMINISTRATION

A trained examiner uses official modules, toys/materials, and scoring conventions. Digital catalogue listing does not make ADOS-2 a remote self-test.

CLINICAL BOUNDARY

ADOS-2 is one specialist input. It does not by itself diagnose autism or replace developmental history, adaptive information, and clinical formulation.

METHODOLOGY

ADOS-2 is a proprietary, training-dependent diagnostic protocol. This is a structured result shell only; administer and score with official ADOS-2 materials. The implemented range is 0 to 60. Lirena's implemented cutoff is 7.

SELECTED REFERENCES

1. Publisher information

Western Psychological Services. Autism Diagnostic Observation Schedule, Second Edition.