SYNTHETIC EXAMPLE

AQ-10

AQ-10 - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

TOTAL

6 / 10

DEMO SYNTHETIC



6/10

What this report lays out

- Source instrument: AQ-10
- Item count: 10 items
- Response format: Definitely Agree, Slightly Agree, Slightly Disagree, Definitely Disagree
- Respondent: Adult self-report

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored AQ-10 result, cannot establish a diagnosis, and must not be placed in a clinical record.

AQ-10 cannot diagnose autism or exclude it. It is a brief screen that may support, not replace, specialist assessment.

A report designed for clinical review

Synthetic AQ-10 example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

Adults complete ten statements. A clinician or pathway protocol decides what happens next. This page does not make referral decisions.

CONTEXT

Lirena uses this rule. Score range: 0-10. Bands: Below 6 (0-5) and 6 or above (6-10). Definitely Agree and Slightly Agree score 1 on items 1, 7, 8 and 10. Definitely Disagree and Slightly Disagree score 1 on items 2, 3, 4, 5, 6 and 9. AQ-10 is a brief adult screen, not a diagnosis. The total is the count of responses that match the published key.

BOUNDARY

AQ-10 cannot diagnose autism or exclude it. It is a brief screen that may support, not replace, specialist assessment.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

AQ-10 response pattern

Synthetic responses for AQ-10. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	**Definitely Agree**
2	Total	**Slightly Agree**
3	Total	**Slightly Disagree**
4	Total	**Definitely Disagree**
5	Total	**Definitely Agree**
6	Total	**Slightly Agree**
7	Total	**Slightly Disagree**
8	Total	**Definitely Disagree**
9	Total	**Definitely Agree**
10	Total	**Slightly Agree**

Synthetic AQ-10 values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

AQ-10 is a short screen used in some referral pathways to decide whether a fuller autism assessment should be discussed. It is not a complete AQ and not a specialist diagnostic instrument.

ADMINISTRATION

Adults complete ten statements. A clinician or pathway protocol decides what happens next. This page does not make referral decisions.

CLINICAL BOUNDARY

AQ-10 cannot diagnose autism or exclude it. It is a brief screen that may support, not replace, specialist assessment.

METHODOLOGY

Lirena uses this rule. Score range: 0-10. Bands: Below 6 (0-5) and 6 or above (6-10). Definitely Agree and Slightly Agree score 1 on items 1, 7, 8 and 10. Definitely Disagree and Slightly Disagree score 1 on items 2, 3, 4, 5, 6 and 9. AQ-10 is a brief adult screen, not a diagnosis. The total is the count of responses that match the published key.

SELECTED REFERENCES

1. AQ-10 paper
Allison C, Auyeung B, Baron-Cohen S. Toward brief 'red flags' for autism screening. J Am Acad Child Adolesc Psychiatry. 2012;51(2):202-212.e7.

2. Scoring source Lirena follows
Source URL recorded on the Lirena scoring verification input.

3. Developer or publisher page
Autism Research Centre tests