SYNTHETIC EXAMPLE

AUDIT-C

AUDIT-C - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

AUDIT-C SCORE

6 / 12

DEMO SYNTHETIC



6/12

What this report lays out

- Source instrument: AUDIT-C
- Item count: 4 items
- Response format: Varies by item
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored AUDIT-C result, cannot establish a diagnosis, and must not be placed in a clinical record.

AUDIT-C does not diagnose alcohol use disorder. It cannot capture withdrawal, harm, or dependence features that the full AUDIT and clinical interview address.

A report designed for clinical review

Synthetic AUDIT-C example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

Adults complete the three consumption questions. Sex is recorded so the published thresholds can apply. Sex is not one of the WHO AUDIT questions.

CONTEXT

Lirena uses this rule. Score range: 0-12. Sex-specific screening thresholds (Bradley et al., 2007): at or above 4 for men and at or above 3 for women. AUDIT-C is a consumption screen, not a diagnosis. Sex is recorded so the published thresholds apply and is not an AUDIT question. The WHO manual cutoff of 8 applies to the full AUDIT, not to AUDIT-C. 1 item is recorded for clinician review and not included in the total.

BOUNDARY

AUDIT-C does not diagnose alcohol use disorder. It cannot capture withdrawal, harm, or dependence features that the full AUDIT and clinical interview address.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

AUDIT-C response pattern

Synthetic responses for AUDIT-C. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	AUDIT-C score	**Synthetic response**
2	AUDIT-C score	**Synthetic response**
3	AUDIT-C score	**Synthetic response**
4	AUDIT-C score	**Synthetic response**

Synthetic AUDIT-C values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

AUDIT-C asks about drinking frequency, typical quantity, and heavy-drinking frequency. It is a short consumption screen, not the full 10-item AUDIT and not a treatment plan.

ADMINISTRATION

Adults complete the three consumption questions. Sex is recorded so the published thresholds can apply. Sex is not one of the WHO AUDIT questions.

CLINICAL BOUNDARY

AUDIT-C does not diagnose alcohol use disorder. It cannot capture withdrawal, harm, or dependence features that the full AUDIT and clinical interview address.

METHODOLOGY

Lirena uses this rule. Score range: 0-12. Sex-specific screening thresholds (Bradley et al., 2007): at or above 4 for men and at or above 3 for women. AUDIT-C is a consumption screen, not a diagnosis. Sex is recorded so the published thresholds apply and is not an AUDIT question. The WHO manual cutoff of 8 applies to the full AUDIT, not to AUDIT-C. 1 item is recorded for clinician review and not included in the total.

SELECTED REFERENCES

1. WHO AUDIT manual

World Health Organization. AUDIT: the Alcohol Use Disorders Identification Test.

2. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.