SYNTHETIC EXAMPLE

Body Image Scale

Body Image Scale - synthetic example

CLIENT	ADMINISTERED	RESPONSE MODE
John Doe	**Example date**	**Self-report**

TOTAL

27 / 30

DEMO SYNTHETIC



27/30

What this report lays out

- Source instrument: Body Image Scale
- Item count: 10 items
- Response format: Not at all, A little, Quite a bit, Very much
- Respondent: Self-report

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored Body Image Scale result, cannot establish a diagnosis, and must not be placed in a clinical record.

Body Image Scale is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

A report designed for clinical review

Synthetic Body Image Scale example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

Body Image Scale is completed by Self-report. Response options: Not at all, A little, Quite a bit, Very much. Reference period not sourced. The result is for clinician review.

CONTEXT

Ten-item body image distress total from 0 to 30 for clinician review. Higher totals mean more body image distress over the past week. The published scale has no cut-off, so no band is assigned. Cutoff not implemented in Lirena.

BOUNDARY

Body Image Scale is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

Body Image Scale response pattern

Synthetic responses for Body Image Scale. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	Not at all
2	Total	A little
3	Total	Quite a bit
4	Total	Very much
5	Total	Not at all
6	Total	A little
7	Total	Quite a bit
8	Total	Very much
9	Total	Not at all
10	Total	A little

Synthetic Body Image Scale values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Body Image Scale asks about self-consciousness, attractiveness, and related concerns after disease or treatment. Higher totals indicate greater body-image distress for clinician review. The published scale has no cut-off, so the total is reported without a band.

ADMINISTRATION

Body Image Scale is completed by Self-report. Response options: Not at all, A little, Quite a bit, Very much. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

Body Image Scale is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

METHODOLOGY

Ten-item body image distress total from 0 to 30 for clinician review. Higher totals mean more body image distress over the past week. The published scale has no cut-off, so no band is assigned. Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. Hopwood Body Image Scale paper

Hopwood P, Fletcher I, Lee A, Al Ghazal S. A body image scale for use with cancer patients. Eur J Cancer. 2001;37(2):189-197.

2. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.