SYNTHETIC EXAMPLE

BPI, Brief Pain Inventory (Short Form)

BPI, Brief Pain Inventory (Short Form) - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

PAIN SEVERITY

9 / 10

DEMO SYNTHETIC



PAIN INTERFERENCE

10 / 10

DEMO SYNTHETIC



What this report lays out

- Source instrument: BPI, Brief Pain Inventory (Short Form)
- Item count: 13 items
- Response format: Varies by item
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored BPI result, cannot establish a diagnosis, and must not be placed in a clinical record.

The Brief Pain Inventory Short Form describes severity and interference. It does not diagnose a pain condition.

A report designed for clinical review

Synthetic BPI, Brief Pain Inventory (Short Form) example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

BPI is completed by Patient. Response format varies by item. Reference period not sourced. The result is for clinician review.

CONTEXT

Lirena uses this rule. Score range: Severity mean 010 (two decimals); interference mean 010 (one decimal). No bands. Severity is the mean of worst, least, average and current pain. Interference is the mean of the seven interference ratings when at least four are answered. Relief is recorded and is not part of either mean. The Brief Pain Inventory Short Form describes severity and interference. It does not diagnose a pain condition. Item groups: Pain severity (4 items, 0 to 10); Pain interference (7 items, 0 to 10). 2 items are recorded for clinician review and not included in the total. Lirena does not combine these groups into one total. Cutoff not implemented in Lirena.

BOUNDARY

The Brief Pain Inventory Short Form describes severity and interference. It does not diagnose a pain condition.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

BPI, Brief Pain Inventory (Short Form) response pattern

Synthetic responses for BPI, Brief Pain Inventory (Short Form). The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Pain severity	Synthetic response
2	Pain interference	Synthetic response
3	Pain severity	Synthetic response
4	Pain interference	Synthetic response
5	Pain severity	Synthetic response
6	Pain interference	Synthetic response
7	Pain severity	Synthetic response
8	Pain interference	Synthetic response
9	Pain severity	Synthetic response
10	Pain interference	Synthetic response
11	Pain severity	Synthetic response
12	Pain interference	Synthetic response
13	Pain severity	Synthetic response

Synthetic BPI, Brief Pain Inventory (Short Form) values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The BPI asks about pain severity and interference. Clinics use it to structure that account for clinician review. It does not establish a pain diagnosis, neuropathic mechanism, or treatment plan.

ADMINISTRATION

BPI is completed by Patient. Response format varies by item. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

The Brief Pain Inventory Short Form describes severity and interference. It does not diagnose a pain condition.

METHODOLOGY

Lirena uses this rule. Score range: Severity mean 010 (two decimals); interference mean 010 (one decimal). No bands. Severity is the mean of worst, least, average and current pain. Interference is the mean of the seven interference ratings when at least four are answered. Relief is recorded and is not part of either mean. The Brief Pain Inventory Short Form describes severity and interference. It does not diagnose a pain condition. Item groups: Pain severity (4 items, 0 to 10); Pain interference (7 items, 0 to 10). 2 items are recorded for clinician review and not included in the total. Lirena does not combine these groups into one total. Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. BPI development
Cleeland CS, Ryan KM. Pain assessment: global use of the Brief Pain Inventory. Ann Acad Med Singap. 1994;23(2):129-138.

2. Official BPI information
The University of Texas MD Anderson Cancer Center. Brief Pain Inventory.

3. Scoring source Lirena follows
Source URL recorded on the Lirena scoring verification input.