SYNTHETIC EXAMPLE

BPRS

BPRS - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Clinician-rated

ANXIETY-DEPRESSION

4 / 7

DEMO SYNTHETIC



ANERGIA

5 / 7

DEMO SYNTHETIC



THOUGHT DISTURBANCE

2 / 7

DEMO SYNTHETIC



What this report lays out

- Source instrument: BPRS
- Item count: 18 items
- Response format: 7 options
- Respondent: Clinician

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored BPRS result, cannot establish a diagnosis, and must not be placed in a clinical record.

BPRS does not diagnose a psychotic disorder. It is a rated severity profile for clinician review.

A report designed for clinical review

Synthetic BPRS example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

A clinician rates the 18 constructs in the clinician completion view. Lirena does not send BPRS to the client.

CONTEXT

Lirena uses this rule. Score range: 18126. Five factor means, each 1.007.00: Anxiety-Depression, Anergia, Thought Disturbance, Activation, and Hostile-Suspiciousness. No cutoff or band. BPRS is a clinician-rated severity profile, not a diagnosis. Each construct is rated 17. The form's 0 = Not assessed is not a rating. Cutoff not implemented in Lirena.

BOUNDARY

BPRS does not diagnose a psychotic disorder. It is a rated severity profile for clinician review.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

BPRS response pattern

Synthetic responses for BPRS. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Anxiety-Depression	**Not present**
2	Anergia	**Very mild**
3	Thought Disturbance	**Mild**
4	Anxiety-Depression	**Moderate**
5	Anergia	**Moderately severe**
6	Thought Disturbance	**Severe**
7	Anxiety-Depression	**Extremely severe**
8	Anergia	**Not present**
9	Thought Disturbance	**Very mild**
10	Anxiety-Depression	**Mild**
11	Anergia	**Moderate**
12	Thought Disturbance	**Moderately severe**
13	Anxiety-Depression	**Severe**
14	Anergia	**Extremely severe**
15	Thought Disturbance	**Not present**
16	Anxiety-Depression	**Very mild**

Synthetic BPRS values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Brief Psychiatric Rating Scale rates 18 symptom constructs after interview. This catalogue entry is Guy's 1976 ECDEU form 047-BPRS, not the 16-item or 24-item variants.

ADMINISTRATION

A clinician rates the 18 constructs in the clinician completion view. Lirena does not send BPRS to the client.

CLINICAL BOUNDARY

BPRS does not diagnose a psychotic disorder. It is a rated severity profile for clinician review.

METHODOLOGY

Lirena uses this rule. Score range: 18126. Five factor means, each 1.007.00: Anxiety-Depression, Anergia, Thought Disturbance, Activation, and Hostile-Suspiciousness. No cutoff or band. BPRS is a clinician-rated severity profile, not a diagnosis. Each construct is rated 17. The form's 0 = Not assessed is not a rating. Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. Original BPRS paper
Overall JE, Gorham DR. The Brief Psychiatric Rating Scale. Psychol Rep. 1962;10:799-812.

2. ECDEU form 047-BPRS
Guy W. ECDEU Assessment Manual for Psychopharmacology, revised 1976. Form 047-BPRS.

3. CGI correspondence
Leucht S et al. Linking the PANSS, BPRS, and CGI. Schizophr Res. 2005;79(2-3):231-238.

4. Scoring source Lirena follows
Source URL recorded on the Lirena scoring verification input.