SYNTHETIC EXAMPLE

CGI-S

CGI-S - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Clinician-rated

TOTAL

2 / 7

DEMO SYNTHETIC



2/7

What this report lays out

- Source instrument: CGI-S
- Item count: 1 item
- Response format: 7 options
- Respondent: Clinician

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored CGI-S result, cannot establish a diagnosis, and must not be placed in a clinical record.

CGI-S is not a diagnosis and not a substitute for a named symptom measure. It is one clinician's global impression.

A report designed for clinical review

Synthetic CGI-S example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

Only a clinician completes CGI-S. It should not be sent to a client as a self-report.

CONTEXT

CGI-S records the rater's global severity judgement on the seven ECDEU anchors (Guy, 1976). It is a clinician rating, not a diagnosis. The form's 0 = Not assessed is not a rating, so an unassessed item is not recorded.

BOUNDARY

CGI-S is not a diagnosis and not a substitute for a named symptom measure. It is one clinician's global impression.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

CGI-S response pattern

Synthetic responses for CGI-S. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	**Normal, not at all ill**

Synthetic CGI-S values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Clinical Global Impression - Severity item asks a clinician to rate how mentally ill the person is at this time relative to the clinician's experience of that population. It is a global anchor, not a multi-item symptom scale.

ADMINISTRATION

Only a clinician completes CGI-S. It should not be sent to a client as a self-report.

CLINICAL BOUNDARY

CGI-S is not a diagnosis and not a substitute for a named symptom measure. It is one clinician's global impression.

METHODOLOGY

CGI-S records the rater's global severity judgement on the seven ECDEU anchors (Guy, 1976). It is a clinician rating, not a diagnosis. The form's 0 = Not assessed is not a rating, so an unassessed item is not recorded.

SELECTED REFERENCES

1. CGI in ECDEU

Guy W. ECDEU Assessment Manual for Psychopharmacology. 1976.

2. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.