SYNTHETIC EXAMPLE

CORE-10

CORE-10 - synthetic example

CLIENT	ADMINISTERED	RESPONSE MODE
John Doe	**Example date**	**Self-report**

TOTAL

23 / 40

DEMO SYNTHETIC



23/40

What this report lays out

- Source instrument: CORE-10
- Item count: 10 items
- Response format: Not at all, Only occasionally, Sometimes, Often, Most or all of the time
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored CORE-10 result, cannot establish a diagnosis, and must not be placed in a clinical record.

CORE-10 does not diagnose a condition or determine therapy type. It is routine outcome evidence for clinician review.

A report designed for clinical review

Synthetic CORE-10 example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

Clients complete ten items, often repeatedly. Item-level review still matters, including any concerning risk-related response. Lirena does not provide urgent monitoring.

CONTEXT

A short measure of general psychological distress for clinician review. Item-level risk responses require the practice's own risk process. The implemented range is 0 to 40. Lirena's implemented cutoff is 11.

BOUNDARY

CORE-10 does not diagnose a condition or determine therapy type. It is routine outcome evidence for clinician review.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

CORE-10 response pattern

Synthetic responses for CORE-10. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	**Not at all**
2	Total	**Only occasionally**
3	Total	**Sometimes**
4	Total	**Often**
5	Total	**Most or all of the time**
6	Total	**Not at all**
7	Total	**Only occasionally**
8	Total	**Sometimes**
9	Total	**Often**
10	Total	**Most or all of the time**

Synthetic CORE-10 values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

CORE-10 is a short derivative of CORE-OM used to track change across sessions. It has six problem items, three functioning items and one risk item, and no well-being items. It gives one total and no domain scores.

ADMINISTRATION

Clients complete ten items, often repeatedly. Item-level review still matters, including any concerning risk-related response. Lirena does not provide urgent monitoring.

CLINICAL BOUNDARY

CORE-10 does not diagnose a condition or determine therapy type. It is routine outcome evidence for clinician review.

METHODOLOGY

A short measure of general psychological distress for clinician review. Item-level risk responses require the practice's own risk process. The implemented range is 0 to 40. Lirena's implemented cutoff is 11.

SELECTED REFERENCES

1. CORE System Trust
CORE System Trust. Clinical Outcomes in Routine Evaluation.

2. Scoring source Lirena follows
Source URL recorded on the Lirena scoring verification input.