SYNTHETIC EXAMPLE

CORE-OM

CORE-OM - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

WELLBEING MEAN

3 / 4

DEMO SYNTHETIC



PROBLEMS MEAN

3 / 4

DEMO SYNTHETIC



FUNCTIONING MEAN

1 / 4

DEMO SYNTHETIC



What this report lays out

- Source instrument: CORE-OM
- Item count: 35 items
- Response format: Varies by item
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored CORE-OM result, cannot establish a diagnosis, and must not be placed in a clinical record.

CORE-OM does not diagnose. Domain scores and risk flags are outcome evidence for clinician review.

A report designed for clinical review

Synthetic CORE-OM example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

Clients complete all 34 statements about the last week. Eight positively worded items print the scores in reverse order under the same anchors. A complete form is required. The published pro-rating rule for up to 10% missing answers is not applied.

CONTEXT

Lirena uses this rule. Score range: Mean 0.00-4.00; clinical score 0.00-40.00. CORE manual Table 5 clinical versus non-clinical cut-offs on the mean scale, sex-specific. All-items cut-off 1.19 for men and 1.29 for women. Risk items are clinical flags, not a severity scale. CORE-OM is an outcome measure, not a diagnosis. A complete form is required. Gender is recorded so the published cut-offs apply and is not a numbered client item. Item groups: Wellbeing mean (4 items, 0.00 to 4.00); Problems mean (12 items, 0.00 to 4.00); Functioning mean (12 items, 0.00 to 4.00); Risk mean (6 items, 0.00 to 4.00); Non-risk mean (28 items, 0.00 to 4.00); Clinical score (membership on the scoring rule, 0.00 to 40.00). 1 item is recorded for clinician review and not included in the total.

BOUNDARY

CORE-OM does not diagnose. Domain scores and risk flags are outcome evidence for clinician review.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

CORE-OM response pattern

Synthetic responses for CORE-OM. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Wellbeing mean	Synthetic response
2	Problems mean	Synthetic response
3	Functioning mean	Synthetic response
4	Wellbeing mean	Synthetic response
5	Problems mean	Synthetic response
6	Functioning mean	Synthetic response
7	Wellbeing mean	Synthetic response
8	Problems mean	Synthetic response
9	Functioning mean	Synthetic response
10	Wellbeing mean	Synthetic response
11	Problems mean	Synthetic response
12	Functioning mean	Synthetic response
13	Wellbeing mean	Synthetic response
14	Problems mean	Synthetic response
15	Functioning mean	Synthetic response
16	Wellbeing mean	Synthetic response

Synthetic CORE-OM values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

CORE-OM covers well-being (4 items), problems (12), functioning (12), and risk (6). It is longer than CORE-10 and is often used at the start and end of an episode.

ADMINISTRATION

Clients complete all 34 statements about the last week. Eight positively worded items print the scores in reverse order under the same anchors. A complete form is required. The published pro-rating rule for up to 10% missing answers is not applied.

CLINICAL BOUNDARY

CORE-OM does not diagnose. Domain scores and risk flags are outcome evidence for clinician review.

METHODOLOGY

Lirena uses this rule. Score range: Mean 0.00-4.00; clinical score 0.00-40.00. CORE manual Table 5 clinical versus non-clinical cut-offs on the mean scale, sex-specific. All-items cut-off 1.19 for men and 1.29 for women. Risk items are clinical flags, not a severity scale. CORE-OM is an outcome measure, not a diagnosis. A complete form is required. Gender is recorded so the published cut-offs apply and is not a numbered client item. Item groups: Wellbeing mean (4 items, 0.00 to 4.00); Problems mean (12 items, 0.00 to 4.00); Functioning mean (12 items, 0.00 to 4.00); Risk mean (6 items, 0.00 to 4.00); Non-risk mean (28 items, 0.00 to 4.00); Clinical score (membership on the scoring rule, 0.00 to 40.00). 1 item is recorded for clinician review and not included in the total.

SELECTED REFERENCES

1. CORE System Trust
CORE System Trust. CORE-OM.

2. Scoring source Lirena follows
Source URL recorded on the Lirena scoring verification input.