SYNTHETIC EXAMPLE

DASS-42

DASS-42 - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

DEPRESSION

34 / 42

DEMO SYNTHETIC



ANXIETY

5 / 42

DEMO SYNTHETIC



STRESS

22 / 42

DEMO SYNTHETIC



What this report lays out

- Source instrument: DASS-42
- Item count: 42 items
- Reference period: Past week
- Response format: Did not apply to me at all, Applied to me to some degree, or some of the time, Applied to me to a considerable degree, or a good part of time, Applied to me very much, or most of the time

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored DASS-42 result, cannot establish a diagnosis, and must not be placed in a clinical record.

DASS-42 does not diagnose depression or anxiety. It is a self-report outcome measure for clinician review.

A report designed for clinical review

Synthetic DASS-42 example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

Respondents rate 42 statements about the past week. Burden is higher than DASS-21. Incomplete responses need a clinic rule, not an improvised half-score.

CONTEXT

Lirena uses this rule. Score range: 042 per scale. Three scale scores: Depression, Anxiety and Stress, each the sum of 14 items (042). No total score and no severity bands. DASS-42 is a self-report measure with three scales, not a diagnosis. Scale names are measurement constructs, not confirmed conditions. No total score is reported. Lirena does not combine these groups into one total. Cutoff not implemented in Lirena.

BOUNDARY

DASS-42 does not diagnose depression or anxiety. It is a self-report outcome measure for clinician review.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

DASS-42 response pattern

Synthetic responses for DASS-42. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Depression	Did not apply to me at all
2	Anxiety	Applied to me to some degree, or some of the time
3	Stress	Applied to me to a considerable degree, or a good part of time
4	Depression	Applied to me very much, or most of the time
5	Anxiety	Did not apply to me at all
6	Stress	Applied to me to some degree, or some of the time
7	Depression	Applied to me to a considerable degree, or a good part of time
8	Anxiety	Applied to me very much, or most of the time
9	Stress	Did not apply to me at all
10	Depression	Applied to me to some degree, or some of the time
11	Anxiety	Applied to me to a considerable degree, or a good part of time
12	Stress	Applied to me very much, or most of the time
13	Depression	Did not apply to me at all
14	Anxiety	Applied to me to some degree, or some of the time
15	Stress	Applied to me to a considerable degree, or a good part of time
16	Depression	Applied to me very much, or most of the time

Synthetic DASS-42 values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

DASS-42 is the full three-scale instrument. It takes longer than DASS-21. Clinics choose length based on burden, purpose, and comparability with previous scores.

ADMINISTRATION

Respondents rate 42 statements about the past week. Burden is higher than DASS-21. Incomplete responses need a clinic rule, not an improvised half-score.

CLINICAL BOUNDARY

DASS-42 does not diagnose depression or anxiety. It is a self-report outcome measure for clinician review.

METHODOLOGY

Lirena uses this rule. Score range: 042 per scale. Three scale scores: Depression, Anxiety and Stress, each the sum of 14 items (042). No total score and no severity bands. DASS-42 is a self-report measure with three scales, not a diagnosis. Scale names are measurement constructs, not confirmed conditions. No total score is reported. Lirena does not combine these groups into one total. Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. Official DASS materials

Psychology Foundation of Australia. Depression Anxiety Stress Scales.

2. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.