SYNTHETIC EXAMPLE

DIVA-5, English DIVA-5, 3rd edition, March 2019

DIVA-5, English DIVA-5, 3rd edition, March 2019 - synthetic example

CLIENT
John Doe


ADMINISTERED
Example date

RESPONSE MODE
Clinician-led interview

TOTAL NUMBER OF CRITERIA ATTENTION DEFICIT IN ADULTHOOD

5 / 9

DEMO SYNTHETIC



TOTAL NUMBER OF CRITERIA ATTENTION DEFICIT IN CHILDHOOD

9 / 9

DEMO SYNTHETIC



TOTAL NUMBER OF CRITERIA HYPERACTIVITY/IMPULSIVITY IN ADULTHOOD

8 / 9

DEMO SYNTHETIC



What this report lays out

- Source instrument: DIVA-5, English DIVA-5, 3rd edition, March 2019
- Item count: 41 items
- Response format: Varies by item
- Respondent: Adult in a clinical interview

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored DIVA-5 result, cannot establish a diagnosis, and must not be placed in a clinical record.

DIVA-5 symptom counts do not diagnose ADHD, choose a presentation, or grade severity. Diagnosis, presentation, severity, and collateral information stay with the clinician.

A report designed for clinical review

Synthetic DIVA-5, English DIVA-5, 3rd edition, March 2019 example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

A trained clinician administers the interview. It is not a client-only questionnaire, and the administration mode stays clinician-rated.

CONTEXT

Lirena uses this rule. Score range: 0-9 on each of four symptom counts. Adult counts are compared with 5. Childhood counts are compared with 3. These comparisons are not a diagnosis. DIVA-5 symptom counts are recorded for clinician review. Lirena does not diagnose ADHD or grade severity. Item groups: Total number of criteria Attention Deficit in adulthood (9 items, 0 to 9); Total number of criteria Attention Deficit in childhood (9 items, 0 to 9); Total number of criteria Hyperactivity/Impulsivity in adulthood (9 items, 0 to 9); Total number of criteria Hyperactivity/Impulsivity in childhood (9 items, 0 to 9). Lirena does not combine these groups into one total. Cutoff not implemented in Lirena.

BOUNDARY

DIVA-5 symptom counts do not diagnose ADHD, choose a presentation, or grade severity. Diagnosis, presentation, severity, and collateral information stay with the clinician.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

DIVA-5, English DIVA-5, 3rd edition, March 2019 response pattern

Synthetic responses for DIVA-5, English DIVA-5, 3rd edition, March 2019. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total number of criteria Attention Deficit in adulthood	Synthetic response
2	Total number of criteria Attention Deficit in childhood	Synthetic response
3	Total number of criteria Hyperactivity/Impulsivity in adulthood	Synthetic response
4	Total number of criteria Attention Deficit in adulthood	Synthetic response
5	Total number of criteria Attention Deficit in childhood	Synthetic response
6	Total number of criteria Hyperactivity/Impulsivity in adulthood	Synthetic response
7	Total number of criteria Attention Deficit in adulthood	Synthetic response
8	Total number of criteria Attention Deficit in childhood	Synthetic response
9	Total number of criteria Hyperactivity/Impulsivity in adulthood	Synthetic response
10	Total number of criteria Attention Deficit in adulthood	Synthetic response
11	Total number of criteria Attention Deficit in childhood	Synthetic response
12	Total number of criteria Hyperactivity/Impulsivity in adulthood	Synthetic response
13	Total number of criteria Attention Deficit in adulthood	Synthetic response
14	Total number of criteria Attention Deficit in childhood	Synthetic response
15	Total number of criteria Hyperactivity/Impulsivity in adulthood	Synthetic response
16	Total number of criteria Attention Deficit in adulthood	Synthetic response

Synthetic DIVA-5, English DIVA-5, 3rd edition, March 2019 values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The English DIVA-5, 3rd edition (March 2019, DIVA Foundation), rates each of the 18 criteria Yes or No for the last 6 months and for ages 5-12. Examples on the form help the interview. They are not separate scored items.

ADMINISTRATION

A trained clinician administers the interview. It is not a client-only questionnaire, and the administration mode stays clinician-rated.

CLINICAL BOUNDARY

DIVA-5 symptom counts do not diagnose ADHD, choose a presentation, or grade severity. Diagnosis, presentation, severity, and collateral information stay with the clinician.

METHODOLOGY

Lirena uses this rule. Score range: 0-9 on each of four symptom counts. Adult counts are compared with 5. Childhood counts are compared with 3. These comparisons are not a diagnosis. DIVA-5 symptom counts are recorded for clinician review. Lirena does not diagnose ADHD or grade severity. Item groups: Total number of criteria Attention Deficit in adulthood (9 items, 0 to 9); Total number of criteria Attention Deficit in childhood (9 items, 0 to 9); Total number of criteria Hyperactivity/Impulsivity in adulthood (9 items, 0 to 9); Total number of criteria Hyperactivity/Impulsivity in childhood (9 items, 0 to 9). Lirena does not combine these groups into one total. Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. DIVA Foundation instructions
DIVA Foundation. Instructions for DIVA-5.

2. DIVA Foundation validation
DIVA Foundation. Validation of DIVA-5.