SYNTHETIC EXAMPLE

DSDS

DSDS - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

QUESTIONS 1 TO 4 ANSWERED YES

4 / 4

DEMO SYNTHETIC



4/4

CONTRIBUTING FACTORS MARKED YES

0 / 7

DEMO SYNTHETIC



0/7

What this report lays out

- Source instrument: DSDS
- Item count: 11 items
- Response format: Yes, No
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored DSDS result, cannot establish a diagnosis, and must not be placed in a clinical record.

DSDS answers are collected for clinician review. Lirena reports two response counts and never produces a diagnosis.

A report designed for clinical review

Synthetic DSDS example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

DSDS is completed by Patient. Response options: Yes, No. Reference period not sourced. The result is for clinician review.

CONTEXT

Lirena uses this rule. Score range: Two counts: questions 14 answered Yes (04) and contributing factors marked Yes (07). No total, cutoff or band; the clinician applies the published DSDS algorithm. DSDS answers are collected for clinician review. Lirena reports two response counts and never produces a diagnosis. Item groups: Questions 1 to 4 answered Yes (4 items, 0 to 4); Contributing factors marked Yes (7 items, 0 to 7). Lirena does not combine these groups into one total. Cutoff not implemented in Lirena.

BOUNDARY

DSDS answers are collected for clinician review. Lirena reports two response counts and never produces a diagnosis.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

DSDS response pattern

Synthetic responses for DSDS. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Questions 1 to 4 answered Yes	Yes
2	Contributing factors marked Yes	No
3	Questions 1 to 4 answered Yes	Yes
4	Contributing factors marked Yes	No
5	Questions 1 to 4 answered Yes	Yes
6	Contributing factors marked Yes	No
7	Questions 1 to 4 answered Yes	Yes
8	Contributing factors marked Yes	No
9	Questions 1 to 4 answered Yes	Yes
10	Contributing factors marked Yes	No
11	Questions 1 to 4 answered Yes	Yes

Synthetic DSDS values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

DSDS organises decreased-desire questions for clinician review. It does not diagnose hypoactive sexual desire disorder and does not prescribe medication.

ADMINISTRATION

DSDS is completed by Patient. Response options: Yes, No. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

DSDS answers are collected for clinician review. Lirena reports two response counts and never produces a diagnosis.

METHODOLOGY

Lirena uses this rule. Score range: Two counts: questions 14 answered Yes (04) and contributing factors marked Yes (07). No total, cutoff or band; the clinician applies the published DSDS algorithm. DSDS answers are collected for clinician review. Lirena reports two response counts and never produces a diagnosis. Item groups: Questions 1 to 4 answered Yes (4 items, 0 to 4); Contributing factors marked Yes (7 items, 0 to 7). Lirena does not combine these groups into one total. Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. Original DSDS paper
Clayton AH et al. Validation of the Decreased Sexual Desire Screener (DSDS). J Sex Med. 2009;6(3):730-738.

2. Scoring source Lirena follows
Source URL recorded on the Lirena scoring verification input.

3. Developer or publisher page
PubMed DSDS paper