SYNTHETIC EXAMPLE

FSFI

FSFI - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

DESIRE

6.2 / 6

DEMO SYNTHETIC



AROUSAL

4 / 6

DEMO SYNTHETIC



LUBRICATION

1 / 6

DEMO SYNTHETIC



What this report lays out

- Source instrument: FSFI
- Item count: 19 items
- Response format: Varies by item
- Respondent: Self-report

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored FSFI result, cannot establish a diagnosis, and must not be placed in a clinical record.

FSFI is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

A report designed for clinical review

Synthetic FSFI example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

FSFI is completed by Self-report. Response format varies by item. Reference period not sourced. The result is for clinician review.

CONTEXT

Each item uses the published response code. Desire (items 1 and 2) is multiplied by 0.6 and ranges from 1.2 to 6.0. Arousal (items 3 to 6) and lubrication (items 7 to 10) are multiplied by 0.3 and range from 0 to 6.0. Orgasm (items 11 to 13), satisfaction (items 14 to 16) and pain (items 17 to 19) are multiplied by 0.4. Orgasm and pain range from 0 to 6.0, and satisfaction ranges from 0.8 to 6.0. The full-scale score is the sum of the six domain scores and ranges from 2.0 to 36.0. A domain score of 0 means no sexual activity in that domain that month. Full-scale bands are At or below 26.55 (2.0 to 26.5) and Above 26.55 (26.6 to 36.0). Item groups: Desire (membership on the scoring rule, 1.2 to 6.0); Arousal (membership on the scoring rule, 0 to 6.0); Lubrication (membership on the scoring rule, 0 to 6.0); Orgasm (membership on the scoring rule, 0 to 6.0); Satisfaction (membership on the scoring rule, 0.8 to 6.0); Pain (membership on the scoring rule, 0 to 6.0).

BOUNDARY

FSFI is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

FSFI response pattern

Synthetic responses for FSFI. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Desire	Synthetic response
2	Arousal	Synthetic response
3	Lubrication	Synthetic response
4	Desire	Synthetic response
5	Arousal	Synthetic response
6	Lubrication	Synthetic response
7	Desire	Synthetic response
8	Arousal	Synthetic response
9	Lubrication	Synthetic response
10	Desire	Synthetic response
11	Arousal	Synthetic response
12	Lubrication	Synthetic response
13	Desire	Synthetic response
14	Arousal	Synthetic response
15	Lubrication	Synthetic response
16	Desire	Synthetic response

Synthetic FSFI values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

FSFI asks about sexual feelings and responses during the past 4 weeks across desire, arousal, lubrication, orgasm, satisfaction and pain. It supports clinician review of those domain scores. It does not diagnose a sexual problem and does not prescribe treatment.

ADMINISTRATION

FSFI is completed by Self-report. Response format varies by item. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

FSFI is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

METHODOLOGY

Each item uses the published response code. Desire (items 1 and 2) is multiplied by 0.6 and ranges from 1.2 to 6.0. Arousal (items 3 to 6) and lubrication (items 7 to 10) are multiplied by 0.3 and range from 0 to 6.0. Orgasm (items 11 to 13), satisfaction (items 14 to 16) and pain (items 17 to 19) are multiplied by 0.4. Orgasm and pain range from 0 to 6.0, and satisfaction ranges from 0.8 to 6.0. The full-scale score is the sum of the six domain scores and ranges from 2.0 to 36.0. A domain score of 0 means no sexual activity in that domain that month. Full-scale bands are At or below 26.55 (2.0 to 26.5) and Above 26.55 (26.6 to 36.0). Item groups: Desire (membership on the scoring rule, 1.2 to 6.0); Arousal (membership on the scoring rule, 0 to 6.0); Lubrication (membership on the scoring rule, 0 to 6.0); Orgasm (membership on the scoring rule, 0 to 6.0); Satisfaction (membership on the scoring rule, 0.8 to 6.0); Pain (membership on the scoring rule, 0 to 6.0).

SELECTED REFERENCES

1. Original FSFI paper

Rosen R et al. The Female Sexual Function Index (FSFI): a multidimensional self-report instrument for the assessment of female sexual function. J Sex Marital Ther. 2000;26(2):191-208.

2. FSFI scoring appendix

Female Sexual Function Index scoring appendix.

3. Full-scale cutoff paper

Wiegel M, Meston C, Rosen R. The Female Sexual Function Index (FSFI): cross-validation and development of clinical cutoff scores. J Sex Marital Ther. 2005;31(1):1-20.

4. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.