SYNTHETIC EXAMPLE

GCS

GCS - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

PSYCHOLOGICAL

12 / 33

DEMO SYNTHETIC



SOMATIC

3 / 21

DEMO SYNTHETIC



VASOMOTOR

3 / 6

DEMO SYNTHETIC



What this report lays out

- Source instrument: GCS
- Item count: 21 items
- Response format: Not at all, A little, Quite a bit, Extremely
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored GCS result, cannot establish a diagnosis, and must not be placed in a clinical record.

GCS is a symptom measure, not a diagnosis. Each of the 21 symptoms is rated for how much it bothers the respondent at the moment.

A report designed for clinical review

Synthetic GCS example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

GCS is completed by Patient. Response options: Not at all, A little, Quite a bit, Extremely. Reference period not sourced. The result is for clinician review.

CONTEXT

Lirena uses this rule. Score range: Six subscale sums: psychological 033, anxiety 018, depressed mood 015, somatic 021, vasomotor 06, sexuality 03. No total score, cutoff or severity bands; Greene (1998) reports subscale sums only. GCS is a symptom measure, not a diagnosis. Each of the 21 symptoms is rated for how much it bothers the respondent at the moment. Item groups: Psychological (11 items, 0 to 33); Somatic (7 items, 0 to 21); Vasomotor (2 items, 0 to 6); Anxiety (6 items, 0 to 18); Depressed mood (5 items, 0 to 15); Sexuality (1 item, 0 to 3). Lirena does not combine these groups into one total. Cutoff not implemented in Lirena.

BOUNDARY

GCS is a symptom measure, not a diagnosis. Each of the 21 symptoms is rated for how much it bothers the respondent at the moment.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

GCS response pattern

Synthetic responses for GCS. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Psychological	**Not at all**
2	Somatic	**A little**
3	Vasomotor	**Quite a bit**
4	Psychological	**Extremely**
5	Somatic	**Not at all**
6	Vasomotor	**A little**
7	Psychological	**Quite a bit**
8	Somatic	**Extremely**
9	Vasomotor	**Not at all**
10	Psychological	**A little**
11	Somatic	**Quite a bit**
12	Vasomotor	**Extremely**
13	Psychological	**Not at all**
14	Somatic	**A little**
15	Vasomotor	**Quite a bit**
16	Psychological	**Extremely**

Synthetic GCS values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

GCS asks how much each of 21 symptoms bothers the respondent at the moment. It supports clinician review of psychological, somatic, vasomotor and sexuality symptoms. It does not diagnose menopause, does not prescribe HRT, and does not replace medical history.

ADMINISTRATION

GCS is completed by Patient. Response options: Not at all, A little, Quite a bit, Extremely. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

GCS is a symptom measure, not a diagnosis. Each of the 21 symptoms is rated for how much it bothers the respondent at the moment.

METHODOLOGY

Lirena uses this rule. Score range: Six subscale sums: psychological 033, anxiety 018, depressed mood 015, somatic 021, vasomotor 06, sexuality 03. No total score, cutoff or severity bands; Greene (1998) reports subscale sums only. GCS is a symptom measure, not a diagnosis. Each of the 21 symptoms is rated for how much it bothers the respondent at the moment. Item groups: Psychological (11 items, 0 to 33); Somatic (7 items, 0 to 21); Vasomotor (2 items, 0 to 6); Anxiety (6 items, 0 to 18); Depressed mood (5 items, 0 to 15); Sexuality (1 item, 0 to 3). Lirena does not combine these groups into one total. Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. Greene Climacteric Scale paper

Greene JG. Constructing a standard climacteric scale. Maturitas. 1998;29(1):25-31.

2. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.