SYNTHETIC EXAMPLE

HADS

HADS - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

ANXIETY

3 / 21

DEMO SYNTHETIC



3/21

DEPRESSION

1 / 21

DEMO SYNTHETIC



1/21

What this report lays out

- Source instrument: HADS
- Item count: 14 items
- Response format: Varies by item
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored HADS result, cannot establish a diagnosis, and must not be placed in a clinical record.

HADS reports two subscale scores. A band is not a diagnosis of an anxiety or depressive disorder.

A report designed for clinical review

Synthetic HADS example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

HADS is completed by Patient. Response format varies by item. Reference period not sourced. The result is for clinician review.

CONTEXT

Lirena uses this rule. Score range: Anxiety 021 and depression 021; no total. Each subscale: Normal (07), Borderline abnormal (810), Abnormal (1121). HADS reports two subscale scores. A band is not a diagnosis of an anxiety or depressive disorder. Item groups: Anxiety (7 items, 0 to 21); Depression (7 items, 0 to 21). Lirena does not combine these groups into one total.

BOUNDARY

HADS reports two subscale scores. A band is not a diagnosis of an anxiety or depressive disorder.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

HADS response pattern

Synthetic responses for HADS. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Anxiety	Synthetic response
2	Depression	Synthetic response
3	Anxiety	Synthetic response
4	Depression	Synthetic response
5	Anxiety	Synthetic response
6	Depression	Synthetic response
7	Anxiety	Synthetic response
8	Depression	Synthetic response
9	Anxiety	Synthetic response
10	Depression	Synthetic response
11	Anxiety	Synthetic response
12	Depression	Synthetic response
13	Anxiety	Synthetic response
14	Depression	Synthetic response

Synthetic HADS values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

HADS has separate anxiety and depression subscales. In this catalogue it sits with pain-clinic workflows as a distress screen, not as a stand-alone psychiatric diagnosis and not as a replacement for PHQ-9 or GAD-7.

ADMINISTRATION

HADS is completed by Patient. Response format varies by item. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

HADS reports two subscale scores. A band is not a diagnosis of an anxiety or depressive disorder.

METHODOLOGY

Lirena uses this rule. Score range: Anxiety 021 and depression 021; no total. Each subscale: Normal (07), Borderline abnormal (810), Abnormal (1121). HADS reports two subscale scores. A band is not a diagnosis of an anxiety or depressive disorder. Item groups: Anxiety (7 items, 0 to 21); Depression (7 items, 0 to 21). Lirena does not combine these groups into one total.

SELECTED REFERENCES

1. Original HADS paper

Zigmond AS, Snaith RP. The Hospital Anxiety and Depression Scale. Acta Psychiatr Scand. 1983;67(6):361-370.

2. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.