SYNTHETIC EXAMPLE

5-D Itch

5-D Itch - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

DURATION

5 / 5

DEMO SYNTHETIC



DEGREE

2 / 5

DEMO SYNTHETIC



DIRECTION

4 / 5

DEMO SYNTHETIC



What this report lays out

- Source instrument: 5-D Itch
- Item count: 23 items
- Response format: Varies by item
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored 5-D Itch result, cannot establish a diagnosis, and must not be placed in a clinical record.

The 5-D total describes itch duration, degree, direction, disability and distribution. It does not diagnose a skin or liver disease.

A report designed for clinical review

Synthetic 5-D Itch example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

5-D Itch is completed by Patient. Response format varies by item. Reference period not sourced. The result is for clinician review.

CONTEXT

Lirena uses this rule. Score range: 525. Five domain scores summed. Duration, degree and direction are the selected response (15). Disability is the highest of four activity ratings. Distribution bins the count of affected body sites. No severity bands. The 5-D total describes itch duration, degree, direction, disability and distribution. It does not diagnose a skin or liver disease. Item groups: Duration (membership on the scoring rule, 1 to 5); Degree (membership on the scoring rule, 1 to 5); Direction (membership on the scoring rule, 1 to 5); Disability (4 items, 1 to 5); Distribution (membership on the scoring rule, 1 to 5). Cutoff not implemented in Lirena.

BOUNDARY

The 5-D total describes itch duration, degree, direction, disability and distribution. It does not diagnose a skin or liver disease.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

5-D Itch response pattern

Synthetic responses for 5-D Itch. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Duration	Synthetic response
2	Degree	Synthetic response
3	Direction	Synthetic response
4	Duration	Synthetic response
5	Degree	Synthetic response
6	Direction	Synthetic response
7	Duration	Synthetic response
8	Degree	Synthetic response
9	Direction	Synthetic response
10	Duration	Synthetic response
11	Degree	Synthetic response
12	Direction	Synthetic response
13	Duration	Synthetic response
14	Degree	Synthetic response
15	Direction	Synthetic response
16	Duration	Synthetic response

Synthetic 5-D Itch values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The 5-D Itch Scale covers itch duration, degree, direction, disability, and distribution. It is not a laboratory algorithm and not interchangeable with Itch NRS.

ADMINISTRATION

5-D Itch is completed by Patient. Response format varies by item. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

The 5-D total describes itch duration, degree, direction, disability and distribution. It does not diagnose a skin or liver disease.

METHODOLOGY

Lirena uses this rule. Score range: 525. Five domain scores summed. Duration, degree and direction are the selected response (15). Disability is the highest of four activity ratings. Distribution bins the count of affected body sites. No severity bands. The 5-D total describes itch duration, degree, direction, disability and distribution. It does not diagnose a skin or liver disease. Item groups: Duration (membership on the scoring rule, 1 to 5); Degree (membership on the scoring rule, 1 to 5); Direction (membership on the scoring rule, 1 to 5); Disability (4 items, 1 to 5); Distribution (membership on the scoring rule, 1 to 5). Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. 5-D Itch Scale paper

Elman S, Hynan LS, Gabriel V, Mayo MJ. The 5-D itch scale: a new measure of pruritus. Br J Dermatol. 2010;162(3):587-593.

2. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.