SYNTHETIC EXAMPLE

IWQOL-Lite

IWQOL-Lite - synthetic example

CLIENT	ADMINISTERED	RESPONSE MODE
John Doe	**Example date**	**Self-report**

TOTAL

20 / 124

DEMO SYNTHETIC



20/124

What this report lays out

- Source instrument: IWQOL-Lite
- Item count: 31 items
- Response format: Not at all, A little, Moderately, Quite a bit, Very much
- Respondent: Self-report

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored IWQOL-Lite result, cannot establish a diagnosis, and must not be placed in a clinical record.

IWQOL-Lite is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

A report designed for clinical review

Synthetic IWQOL-Lite example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

IWQOL-Lite is completed by Self-report. Response options: Not at all, A little, Moderately, Quite a bit, Very much. Reference period not sourced. The result is for clinician review.

CONTEXT

Weight-related quality-of-life impact shell for obesity-clinic review. This does not replace official IWQOL-Lite scoring. The implemented range is 0 to 124.

BOUNDARY

IWQOL-Lite is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

IWQOL-Lite response pattern

Synthetic responses for IWQOL-Lite. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	Not at all
2	Total	A little
3	Total	Moderately
4	Total	Quite a bit
5	Total	Very much
6	Total	Not at all
7	Total	A little
8	Total	Moderately
9	Total	Quite a bit
10	Total	Very much
11	Total	Not at all
12	Total	A little
13	Total	Moderately
14	Total	Quite a bit
15	Total	Very much
16	Total	Not at all

Synthetic IWQOL-Lite values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

IWQOL-Lite organises how weight affects quality of life. It is not a body-composition measure and not a treatment recommendation.

ADMINISTRATION

IWQOL-Lite is completed by Self-report. Response options: Not at all, A little, Moderately, Quite a bit, Very much. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

IWQOL-Lite is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

METHODOLOGY

Weight-related quality-of-life impact shell for obesity-clinic review. This does not replace official IWQOL-Lite scoring. The implemented range is 0 to 124.

SELECTED REFERENCES

1. IWQOL-Lite paper

Kolotkin RL et al. Development of a brief measure to assess quality of life in obesity. Obes Res. 2001;9(2):102-111.