SYNTHETIC EXAMPLE

LANSS

LANSS - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Clinician-rated

TOTAL

20 / 24

DEMO SYNTHETIC



20/24

What this report lays out

- Source instrument: LANSS
- Item count: 7 items
- Response format: Varies by item
- Respondent: Clinician

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored LANSS result, cannot establish a diagnosis, and must not be placed in a clinical record.

LANSS section B is examiner sensory testing, so a clinician completes the form. A score does not diagnose a nerve lesion.

A report designed for clinical review

Synthetic LANSS example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

LANSS is completed by Clinician. Response format varies by item. Reference period not sourced. The result is for clinician review.

CONTEXT

The total is the sum of the weighted answers (0-24). Items 6 and 7 record the examiner's bedside sensory testing. Lirena's implemented cutoff is 12.

BOUNDARY

LANSS section B is examiner sensory testing, so a clinician completes the form. A score does not diagnose a nerve lesion.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

LANSS response pattern

Synthetic responses for LANSS. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	Synthetic response
2	Total	Synthetic response
3	Total	Synthetic response
4	Total	Synthetic response
5	Total	Synthetic response
6	Total	Synthetic response
7	Total	Synthetic response

Synthetic LANSS values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

LANSS is not a client-only questionnaire in its original form. Sign items belong with a clinician. A result does not replace neurological examination or nerve investigation.

ADMINISTRATION

LANSS is completed by Clinician. Response format varies by item. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

LANSS section B is examiner sensory testing, so a clinician completes the form. A score does not diagnose a nerve lesion.

METHODOLOGY

The total is the sum of the weighted answers (0-24). Items 6 and 7 record the examiner's bedside sensory testing. Lirena's implemented cutoff is 12.

SELECTED REFERENCES

1. Original LANSS paper

Bennett M. The LANSS Pain Scale: the Leeds assessment of neuropathic symptoms and signs. Pain. 2001;92(1-2):147-157.

2. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.