SYNTHETIC EXAMPLE

LSAS, LSAS-SR self-report

LSAS, LSAS-SR self-report - synthetic example

CLIENT	ADMINISTERED	RESPONSE MODE
John Doe	Example date	Self-report

TOTAL

90 / 144

DEMO SYNTHETIC



90/144

What this report lays out

- Source instrument: LSAS, LSAS-SR self-report
- Item count: 48 items
- Response format: Varies by item
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored LSAS result, cannot establish a diagnosis, and must not be placed in a clinical record.

LSAS does not diagnose social anxiety disorder. It cannot separate shyness, autism-related social difficulty, or panic from social anxiety without clinician assessment.

A report designed for clinical review

Synthetic LSAS, LSAS-SR self-report example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

The person rates each of 24 situations twice, for the last week: fear or anxiety from 0 (none) to 3 (severe), and avoidance from 0 (never) to 3 (usually).

CONTEXT

The LSAS-SR total is the sum of the 24 fear or anxiety ratings and the 24 avoidance ratings. Each subscale is the sum of its ratings. The score does not establish a diagnosis. The implemented range is 0 to 144.

BOUNDARY

LSAS does not diagnose social anxiety disorder. It cannot separate shyness, autism-related social difficulty, or panic from social anxiety without clinician assessment.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

LSAS, LSAS-SR self-report response pattern

Synthetic responses for LSAS, LSAS-SR self-report. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	Synthetic response
2	Total	Synthetic response
3	Total	Synthetic response
4	Total	Synthetic response
5	Total	Synthetic response
6	Total	Synthetic response
7	Total	Synthetic response
8	Total	Synthetic response
9	Total	Synthetic response
10	Total	Synthetic response
11	Total	Synthetic response
12	Total	Synthetic response
13	Total	Synthetic response
14	Total	Synthetic response
15	Total	Synthetic response
16	Total	Synthetic response

Synthetic LSAS, LSAS-SR self-report values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Liebowitz Social Anxiety Scale lists social and performance situations, each rated for fear and avoidance. It is used to describe social-anxiety burden, not to diagnose by itself.

ADMINISTRATION

The person rates each of 24 situations twice, for the last week: fear or anxiety from 0 (none) to 3 (severe), and avoidance from 0 (never) to 3 (usually).

CLINICAL BOUNDARY

LSAS does not diagnose social anxiety disorder. It cannot separate shyness, autism-related social difficulty, or panic from social anxiety without clinician assessment.

METHODOLOGY

The LSAS-SR total is the sum of the 24 fear or anxiety ratings and the 24 avoidance ratings. Each subscale is the sum of its ratings. The score does not establish a diagnosis. The implemented range is 0 to 144.

SELECTED REFERENCES

1. LSAS description

Liebowitz MR. Social phobia. Mod Probl Pharmacopsychiatry. 1987;22:141-173.

2. LSAS-SR cutoffs

Rytwinski NK et al. Screening for social anxiety disorder with the self-report version of the Liebowitz Social Anxiety Scale. Depress Anxiety. 2009;26(1):34-38.

3. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.