SYNTHETIC EXAMPLE

Pain NRS

Pain NRS - synthetic example

CLIENT
John Doe


ADMINISTERED
Example date

RESPONSE MODE
Self-report

TOTAL

6 / 10

DEMO SYNTHETIC



What this report lays out

- Source instrument: Pain NRS
- Item count: 1 item
- Response format: 11 options
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored NRS result, cannot establish a diagnosis, and must not be placed in a clinical record.

A single intensity rating. It does not measure interference, pain quality or neuropathic features and does not diagnose a pain condition.

A report designed for clinical review

Synthetic Pain NRS example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

Pain NRS is completed by Patient. Response options: No pain, 1, 2, 3, 4, 5, 6, 7, 8, 9, Pain as bad as you can imagine. Reference period not sourced. The result is for clinician review.

CONTEXT

The result is the selected 0-10 rating of average pain intensity over the last 24 hours. No severity band or cut-off is applied. Cutoff not implemented in Lirena.

BOUNDARY

A single intensity rating. It does not measure interference, pain quality or neuropathic features and does not diagnose a pain condition.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

Pain NRS response pattern

Synthetic responses for Pain NRS. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	**No pain**

Synthetic Pain NRS values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

A pain NRS is a compact intensity rating. It does not measure interference, fear of movement, or neuropathic features. It cannot diagnose a pain condition.

ADMINISTRATION

Pain NRS is completed by Patient. Response options: No pain, 1, 2, 3, 4, 5, 6, 7, 8, 9, Pain as bad as you can imagine. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

A single intensity rating. It does not measure interference, pain quality or neuropathic features and does not diagnose a pain condition.

METHODOLOGY

The result is the selected 0-10 rating of average pain intensity over the last 24 hours. No severity band or cut-off is applied. Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. IMMPACT core outcome measures

Dworkin RH et al. Core outcome measures for chronic pain clinical trials: IMMPACT recommendations. Pain. 2005;113(1-2):9-19.

2. NRS pain measurement context

Hjermstad MJ et al. Studies comparing Numerical Rating Scales, Verbal Rating Scales, and Visual Analogue Scales for pain. J Pain Symptom Manage. 2011;41(6):1073-1093.

3. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.