SYNTHETIC EXAMPLE

ODI

ODI - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

OSWESTRY DISABILITY INDEX

65 / 100

DEMO SYNTHETIC



65/100

What this report lays out

- Source instrument: ODI
- Item count: 10 items
- Response format: Varies by item
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored ODI result, cannot establish a diagnosis, and must not be placed in a clinical record.

ODI is a disability percentage. It is not a spinal diagnosis.

A report designed for clinical review

Synthetic ODI example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

ODI is completed by Patient. Response format varies by item. Reference period not sourced. The result is for clinician review.

CONTEXT

Lirena uses this rule. Score range: 0100%. Minimal disability (020), Moderate disability (2140), Severe disability (4160), Crippled (6180), 81%100% (81100). One completed section is enough to score. ODI is a disability percentage. It is not a spinal diagnosis.

BOUNDARY

ODI is a disability percentage. It is not a spinal diagnosis.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

ODI response pattern

Synthetic responses for ODI. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Oswestry Disability Index	**Synthetic response**
2	Oswestry Disability Index	**Synthetic response**
3	Oswestry Disability Index	**Synthetic response**
4	Oswestry Disability Index	**Synthetic response**
5	Oswestry Disability Index	**Synthetic response**
6	Oswestry Disability Index	**Synthetic response**
7	Oswestry Disability Index	**Synthetic response**
8	Oswestry Disability Index	**Synthetic response**
9	Oswestry Disability Index	**Synthetic response**
10	Oswestry Disability Index	**Synthetic response**

Synthetic ODI values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

ODI organises back-related limitation for clinician review. It is not interchangeable with RMDQ, and it is not a diagnosis of a spinal condition.

ADMINISTRATION

ODI is completed by Patient. Response format varies by item. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

ODI is a disability percentage. It is not a spinal diagnosis.

METHODOLOGY

Lirena uses this rule. Score range: 0100%. Minimal disability (020), Moderate disability (2140), Severe disability (4160), Crippled (6180), 81%100% (81100). One completed section is enough to score. ODI is a disability percentage. It is not a spinal diagnosis.

SELECTED REFERENCES

1. ODI paper
Fairbank JC et al. The Oswestry Low Back Pain Disability Questionnaire. Physiotherapy. 1980;66(8):271-273.

2. Scoring source Lirena follows
Source URL recorded on the Lirena scoring verification input.

3. Developer or publisher page
PubMed ODI paper