SYNTHETIC EXAMPLE

PROMIS Cognitive Function 8a

PROMIS Cognitive Function 8a - synthetic example

CLIENT	ADMINISTERED	RESPONSE MODE
John Doe	**Example date**	**Self-report**

COGNITIVE FUNCTION T-SCORE

40.41 / 63.48

DEMO SYNTHETIC



40.41/63.48

What this report lays out

- Source instrument: PROMIS Cognitive Function 8a
- Item count: 8 items
- Response format: Never, Rarely (once), Sometimes (2-3 times), Often (once a day), Very often (Several times a day)
- Respondent: Self-report

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored PROMIS Cognitive Function 8a result, cannot establish a diagnosis, and must not be placed in a clinical record.

PROMIS Cognitive Function 8a is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

A report designed for clinical review

Synthetic PROMIS Cognitive Function 8a example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

PROMIS Cognitive Function 8a is completed by Self-report. Response options: Never, Rarely (once), Sometimes (2-3 times), Often (once a day), Very often (Several times a day). Reference period not sourced. The result is for clinician review.

CONTEXT

Lirena's implemented rule for PROMIS Cognitive Function 8a follows the committed scoring definition. The Cognitive function T-score runs from 22.41 to 63.48. Cutoff not implemented in Lirena.

BOUNDARY

PROMIS Cognitive Function 8a is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

PROMIS Cognitive Function 8a response pattern

Synthetic responses for PROMIS Cognitive Function 8a. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Cognitive function T-score	**Never**
2	Cognitive function T-score	**Rarely (once)**
3	Cognitive function T-score	**Sometimes (2-3 times)**
4	Cognitive function T-score	**Often (once a day)**
5	Cognitive function T-score	**Very often (Several times a day)**
6	Cognitive function T-score	**Never**
7	Cognitive function T-score	**Rarely (once)**
8	Cognitive function T-score	**Sometimes (2-3 times)**

Synthetic PROMIS Cognitive Function 8a values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The PROMIS Cognitive Function 8a short form records cognitive function over the past 7 days. The official table converts the raw sum to a T-score from 22.41 to 63.48. Higher T-scores mean better reported cognitive function. The manual publishes no severity band. The result is not a diagnosis of cognitive impairment.

ADMINISTRATION

PROMIS Cognitive Function 8a is completed by Self-report. Response options: Never, Rarely (once), Sometimes (2-3 times), Often (once a day), Very often (Several times a day). Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

PROMIS Cognitive Function 8a is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

METHODOLOGY

Lirena's implemented rule for PROMIS Cognitive Function 8a follows the committed scoring definition. The Cognitive function T-score runs from 22.41 to 63.48. Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. PROMIS Cognitive Function scoring manual

HealthMeasures. PROMIS Cognitive Function Scoring Manual, 03 June 2022.

2. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.