SYNTHETIC EXAMPLE

PROMIS Sleep Disturbance

PROMIS Sleep Disturbance - synthetic example

CLIENT	ADMINISTERED	RESPONSE MODE
John Doe	**Example date**	**Self-report**

TOTAL

36 / 40

DEMO SYNTHETIC



What this report lays out

- Source instrument: PROMIS Sleep Disturbance
- Item count: 8 items
- Response format: Varies by item
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored PROMIS Sleep result, cannot establish a diagnosis, and must not be placed in a clinical record.

PROMIS Sleep Disturbance 8a is a sleep-disturbance measure, not a diagnosis. The raw score is reported with the published T-score severity category it falls in.

A report designed for clinical review

Synthetic PROMIS Sleep Disturbance example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

PROMIS Sleep Disturbance is completed by Patient. Response format varies by item. Reference period not sourced. The result is for clinician review.

CONTEXT

Raw summed score of the eight Sleep Disturbance 8a items. Severity categories are the published T-score ranges (less than 55 none to slight, 55.0 to 59.9 mild, 60.0 to 69.9 moderate, 70 and over severe) applied through the 8a conversion table. A sleep-disturbance measure, not a diagnosis. The implemented range is 8 to 40.

BOUNDARY

PROMIS Sleep Disturbance 8a is a sleep-disturbance measure, not a diagnosis. The raw score is reported with the published T-score severity category it falls in.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

PROMIS Sleep Disturbance response pattern

Synthetic responses for PROMIS Sleep Disturbance. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	Synthetic response
2	Total	Synthetic response
3	Total	Synthetic response
4	Total	Synthetic response
5	Total	Synthetic response
6	Total	Synthetic response
7	Total	Synthetic response
8	Total	Synthetic response

Synthetic PROMIS Sleep Disturbance values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

PROMIS Sleep Disturbance measures perceived sleep quality, sleep depth and restoration associated with sleep. Short forms and CAT administrations are different products. A T-score is not a menopause diagnosis and not a sleep-study result.

ADMINISTRATION

PROMIS Sleep Disturbance is completed by Patient. Response format varies by item. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

PROMIS Sleep Disturbance 8a is a sleep-disturbance measure, not a diagnosis. The raw score is reported with the published T-score severity category it falls in.

METHODOLOGY

Raw summed score of the eight Sleep Disturbance 8a items. Severity categories are the published T-score ranges (less than 55 none to slight, 55.0 to 59.9 mild, 60.0 to 69.9 moderate, 70 and over severe) applied through the 8a conversion table. A sleep-disturbance measure, not a diagnosis. The implemented range is 8 to 40.

SELECTED REFERENCES

1. PROMIS Sleep Disturbance 8a form
PROMIS Health Organization. PROMIS Item Bank v1.0 - Sleep Disturbance - Short Form 8a. 2020.

2. PROMIS Sleep scoring manual
HealthMeasures. PROMIS Sleep Scoring Manual. 2023.

3. Scoring source Lirena follows
Source URL recorded on the Lirena scoring verification input.

4. Developer or publisher page
HealthMeasures PROMIS