SYNTHETIC EXAMPLE

RMDQ

RMDQ - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

TOTAL

20 / 24

DEMO SYNTHETIC



20/24

What this report lays out

- Source instrument: RMDQ
- Item count: 24 items
- Response format: Describes you today, Does not describe you
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored RMDQ result, cannot establish a diagnosis, and must not be placed in a clinical record.

RMDQ describes function. It is not a spinal diagnosis or an imaging result.

A report designed for clinical review

Synthetic RMDQ example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

RMDQ is completed by Patient. Response options: Describes you today, Does not describe you. Reference period not sourced. The result is for clinician review.

CONTEXT

The score is the number of statements the person marked as describing them today (0-24). No severity band or cut-off is applied. Cutoff not implemented in Lirena.

BOUNDARY

RMDQ describes function. It is not a spinal diagnosis or an imaging result.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

RMDQ response pattern

Synthetic responses for RMDQ. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	Describes you today
2	Total	Does not describe you
3	Total	Describes you today
4	Total	Does not describe you
5	Total	Describes you today
6	Total	Does not describe you
7	Total	Describes you today
8	Total	Does not describe you
9	Total	Describes you today
10	Total	Does not describe you
11	Total	Describes you today
12	Total	Does not describe you
13	Total	Describes you today
14	Total	Does not describe you
15	Total	Describes you today
16	Total	Does not describe you

Synthetic RMDQ values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

RMDQ asks about everyday limitations associated with back pain. It is a function measure, not a scan result and not a diagnosis of a spinal condition.

ADMINISTRATION

RMDQ is completed by Patient. Response options: Describes you today, Does not describe you. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

RMDQ describes function. It is not a spinal diagnosis or an imaging result.

METHODOLOGY

The score is the number of statements the person marked as describing them today (0-24). No severity band or cut-off is applied. Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. Original RMDQ paper

Roland M, Morris R. A study of the natural history of back pain. Spine. 1983;8(2):141-144.

2. Official RMDQ information

Roland-Morris Disability Questionnaire.

3. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.