SYNTHETIC EXAMPLE

SCNS-SF34

SCNS-SF34 - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

PHYSICAL AND DAILY LIVING NEEDS

79 / 100


DEMO SYNTHETIC



PSYCHOLOGICAL NEEDS

68 / 100

DEMO SYNTHETIC



SEXUALITY NEEDS

14 / 100

DEMO SYNTHETIC



What this report lays out

- Source instrument: SCNS-SF34
- Item count: 34 items
- Response format: Not applicable, Satisfied, Low need, Moderate need, High need
- Respondent: Self-report

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored SCNS-SF34 result, cannot establish a diagnosis, and must not be placed in a clinical record.

SCNS-SF34 is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

A report designed for clinical review

Synthetic SCNS-SF34 example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

SCNS-SF34 is completed by Self-report. Response options: Not applicable, Satisfied, Low need, Moderate need, High need. Reference period not sourced. The result is for clinician review.

CONTEXT

Lirena's implemented rule for SCNS-SF34 follows the committed scoring definition. Item groups: Physical and daily living needs (membership on the scoring rule, 0 to 100); Psychological needs (membership on the scoring rule, 0 to 100); Sexuality needs (membership on the scoring rule, 0 to 100); Patient care and support needs (membership on the scoring rule, 0 to 100); Health system and information needs (membership on the scoring rule, 0 to 100). Lirena does not combine these groups into one total. Cutoff not implemented in Lirena.

BOUNDARY

SCNS-SF34 is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

SCNS-SF34 response pattern

Synthetic responses for SCNS-SF34. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Physical and daily living needs	**Not applicable**
2	Psychological needs	**Satisfied**
3	Sexuality needs	**Low need**
4	Physical and daily living needs	**Moderate need**
5	Psychological needs	**High need**
6	Sexuality needs	**Not applicable**
7	Physical and daily living needs	**Satisfied**
8	Psychological needs	**Low need**
9	Sexuality needs	**Moderate need**
10	Physical and daily living needs	**High need**
11	Psychological needs	**Not applicable**
12	Sexuality needs	**Satisfied**
13	Physical and daily living needs	**Low need**
14	Psychological needs	**Moderate need**
15	Sexuality needs	**High need**
16	Physical and daily living needs	**Not applicable**

Synthetic SCNS-SF34 values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Supportive Care Needs Survey Short Form 34 asks how much help a person needed in the last month. Each domain is scored from 0 to 100. The published form has no domain cut-off and no total. Responses labelled 4 or 5 are moderate or high unmet need for clinician review. Domain scores are not diagnoses and not a care plan.

ADMINISTRATION

SCNS-SF34 is completed by Self-report. Response options: Not applicable, Satisfied, Low need, Moderate need, High need. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

SCNS-SF34 is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

METHODOLOGY

Lirena's implemented rule for SCNS-SF34 follows the committed scoring definition. Item groups: Physical and daily living needs (membership on the scoring rule, 0 to 100); Psychological needs (membership on the scoring rule, 0 to 100); Sexuality needs (membership on the scoring rule, 0 to 100); Patient care and support needs (membership on the scoring rule, 0 to 100); Health system and information needs (membership on the scoring rule, 0 to 100). Lirena does not combine these groups into one total. Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. SCNS-SF34 source literature

Boyes A, Girgis A, Lecathelinais C. Brief assessment of adult cancer patients' perceived needs: development and validation of the 34-item Supportive Care Needs Survey (SCNS-SF34). J Eval Clin Pract. 2009;15(4):602-606.

2. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.