SYNTHETIC EXAMPLE

TSK

TSK - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

TOTAL

46 / 68

DEMO SYNTHETIC



46/68

What this report lays out

- Source instrument: TSK
- Item count: 17 items
- Response format: strongly disagree, disagree, agree, strongly agree
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored TSK result, cannot establish a diagnosis, and must not be placed in a clinical record.

TSK describes beliefs about movement and harm. It is not a measure of tissue damage or a phobia diagnosis.

A report designed for clinical review

Synthetic TSK example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

TSK is completed by Patient. Response options: strongly disagree, disagree, agree, strongly agree. Reference period not sourced. The result is for clinician review.

CONTEXT

The total is the sum of the 17 item ratings after reversing items 4, 8, 12 and 16 (17-68). Lirena's implemented cutoff is 38.

BOUNDARY

TSK describes beliefs about movement and harm. It is not a measure of tissue damage or a phobia diagnosis.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

TSK response pattern

Synthetic responses for TSK. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	strongly disagree
2	Total	disagree
3	Total	agree
4	Total	strongly agree
5	Total	strongly disagree
6	Total	disagree
7	Total	agree
8	Total	strongly agree
9	Total	strongly disagree
10	Total	disagree
11	Total	agree
12	Total	strongly agree
13	Total	strongly disagree
14	Total	disagree
15	Total	agree
16	Total	strongly agree

Synthetic TSK values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

TSK asks about beliefs that movement may cause harm. It is not a measure of actual tissue damage and not a psychiatric diagnosis.

ADMINISTRATION

TSK is completed by Patient. Response options: strongly disagree, disagree, agree, strongly agree. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

TSK describes beliefs about movement and harm. It is not a measure of tissue damage or a phobia diagnosis.

METHODOLOGY

The total is the sum of the 17 item ratings after reversing items 4, 8, 12 and 16 (17-68). Lirena's implemented cutoff is 38.

SELECTED REFERENCES

1. Fear of movement paper

Vlaeyen JWS et al. Fear of movement/(re)injury in chronic low back pain and its relation to behavioral performance. Pain. 1995;62(3):363-372.

2. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.