SYNTHETIC EXAMPLE

Wong-Baker FACES

Wong-Baker FACES - synthetic example

CLIENT	ADMINISTERED	RESPONSE MODE
John Doe	**Example date**	**Self-report**

TOTAL

6 / 10

DEMO SYNTHETIC



6/10

What this report lays out

- Source instrument: Wong-Baker FACES
- Item count: 1 item
- Response format: No Hurt, Hurts Little Bit, Hurts Little More, Hurts Even More, Hurts Whole Lot, Hurts Worst
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored Wong-Baker FACES result, cannot establish a diagnosis, and must not be placed in a clinical record.

Wong-Baker FACES is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

A report designed for clinical review

Synthetic Wong-Baker FACES example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

Wong-Baker FACES is completed by Patient. Response options: No Hurt, Hurts Little Bit, Hurts Little More, Hurts Even More, Hurts Whole Lot, Hurts Worst. Reference period not sourced. The result is for clinician review.

CONTEXT

The result is the number of the chosen face (0, 2, 4, 6, 8 or 10). No severity band or cut-off is applied. Cutoff not implemented in Lirena.

BOUNDARY

Wong-Baker FACES is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

Wong-Baker FACES response pattern

Synthetic responses for Wong-Baker FACES. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	**No Hurt**

Synthetic Wong-Baker FACES values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

FACES ratings are often used when a numeric line is a poor fit, including some paediatric or communication-support settings. A face choice is still an intensity rating, not a diagnosis.

ADMINISTRATION

Wong-Baker FACES is completed by Patient. Response options: No Hurt, Hurts Little Bit, Hurts Little More, Hurts Even More, Hurts Whole Lot, Hurts Worst. Reference period not sourced. The result is for clinician review.

CLINICAL BOUNDARY

Wong-Baker FACES is not a diagnosis. A result cannot replace clinician-led assessment, history, examination, or investigation where those are required.

METHODOLOGY

The result is the number of the chosen face (0, 2, 4, 6, 8 or 10). No severity band or cut-off is applied. Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. Official FACES information

Wong-Baker FACES Foundation. Wong-Baker FACES Pain Rating Scale.

2. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.