SYNTHETIC EXAMPLE

WFIRS-S

WFIRS-S - synthetic example

CLIENT
John Doe

ADMINISTERED
Example date

RESPONSE MODE
Self-report

TOTAL

58 / 200

DEMO SYNTHETIC



58/200

What this report lays out

- Source instrument: WFIRS-S
- Item count: 50 items
- Response format: No difficulty, Mild difficulty, Moderate difficulty, Severe difficulty, Extreme / cannot do
- Respondent: Adult self-report

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored WFIRS-S result, cannot establish a diagnosis, and must not be placed in a clinical record.

WFIRS-S does not diagnose ADHD. Symptom measures and impairment measures answer different questions. Neither replaces developmental history.

A report designed for clinical review

Synthetic WFIRS-S example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

The adult completes the self-report. Results should be reviewed beside symptom measures and a clinician's impairment assessment, not treated as a second ADHD score.

CONTEXT

Lirena's implemented rule for WFIRS-S follows the committed scoring definition. The implemented range is 0 to 200. Implemented bands: low_impairment (0 to 49); clinically_relevant_impairment (50 to 200). Lirena's implemented cutoff is 50.

BOUNDARY

WFIRS-S does not diagnose ADHD. Symptom measures and impairment measures answer different questions. Neither replaces developmental history.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

WFIRS-S response pattern

Synthetic responses for WFIRS-S. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	No difficulty
2	Total	Mild difficulty
3	Total	Moderate difficulty
4	Total	Severe difficulty
5	Total	Extreme / cannot do
6	Total	No difficulty
7	Total	Mild difficulty
8	Total	Moderate difficulty
9	Total	Severe difficulty
10	Total	Extreme / cannot do
11	Total	No difficulty
12	Total	Mild difficulty
13	Total	Moderate difficulty
14	Total	Severe difficulty
15	Total	Extreme / cannot do
16	Total	No difficulty

Synthetic WFIRS-S values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Weiss Functional Impairment Rating Scale - Self asks about difficulties in domains such as family, work, school, life skills, self-concept, and social activity. Impairment is a different question from ASRS symptom frequency.

ADMINISTRATION

The adult completes the self-report. Results should be reviewed beside symptom measures and a clinician's impairment assessment, not treated as a second ADHD score.

CLINICAL BOUNDARY

WFIRS-S does not diagnose ADHD. Symptom measures and impairment measures answer different questions. Neither replaces developmental history.

METHODOLOGY

Lirena's implemented rule for WFIRS-S follows the committed scoring definition. The implemented range is 0 to 200. Implemented bands: low_impairment (0 to 49); clinically_relevant_impairment (50 to 200). Lirena's implemented cutoff is 50.

SELECTED REFERENCES

1. CADDRA resources

Canadian ADHD Resource Alliance. Assessment and measurement resources.