SYNTHETIC EXAMPLE

WHODAS 2.0 12-item

WHODAS 2.0 12-item - synthetic example

CLIENT	ADMINISTERED	RESPONSE MODE
John Doe	**Example date**	**Self-report**

TOTAL

36 / 48

DEMO SYNTHETIC



36/48

What this report lays out

- Source instrument: WHODAS 2.0 12-item
- Item count: 12 items
- Response format: None, Mild, Moderate, Severe, Extreme or cannot do
- Respondent: Patient

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored WHODAS 2.0 result, cannot establish a diagnosis, and must not be placed in a clinical record.

WHODAS 2.0 does not diagnose a mental or physical condition. It describes reported functioning. High symptoms with low reported disability, or the reverse, still need clinical interpretation.

A report designed for clinical review

Synthetic WHODAS 2.0 12-item example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

The person completes the WHO 12-item self-administered form about the past 30 days. Results support treatment planning and review. They do not replace diagnosis or capacity assessments your clinic may run separately.

CONTEXT

WHODAS 2.0 12-item simple score: the sum of item codes 0 to 4 over items S1 to S12, range 0 to 48. WHO publishes no severity bands or cutoff for this form, and domain scores need the 36-item version. Cutoff not implemented in Lirena.

BOUNDARY

WHODAS 2.0 does not diagnose a mental or physical condition. It describes reported functioning. High symptoms with low reported disability, or the reverse, still need clinical interpretation.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

WHODAS 2.0 12-item response pattern

Synthetic responses for WHODAS 2.0 12-item. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	None
2	Total	Mild
3	Total	Moderate
4	Total	Severe
5	Total	Extreme or cannot do
6	Total	None
7	Total	Mild
8	Total	Moderate
9	Total	Severe
10	Total	Extreme or cannot do
11	Total	None
12	Total	Mild

Synthetic WHODAS 2.0 12-item values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The WHO Disability Assessment Schedule 2.0 measures difficulties in day-to-day functioning across domains such as mobility, self-care, and participation. The 12-item form is a short version of a longer 36-item instrument. Functioning is not the same construct as a symptom total.

ADMINISTRATION

The person completes the WHO 12-item self-administered form about the past 30 days. Results support treatment planning and review. They do not replace diagnosis or capacity assessments your clinic may run separately.

CLINICAL BOUNDARY

WHODAS 2.0 does not diagnose a mental or physical condition. It describes reported functioning. High symptoms with low reported disability, or the reverse, still need clinical interpretation.

METHODOLOGY

WHODAS 2.0 12-item simple score: the sum of item codes 0 to 4 over items S1 to S12, range 0 to 48. WHO publishes no severity bands or cutoff for this form, and domain scores need the 36-item version. Cutoff not implemented in Lirena.

SELECTED REFERENCES

1. Official WHO WHODAS
World Health Organization. WHO Disability Assessment Schedule 2.0.

2. Scoring source Lirena follows
Source URL recorded on the Lirena scoring verification input.