SYNTHETIC EXAMPLE

WURS-25

WURS-25 - synthetic example

CLIENT	ADMINISTERED	RESPONSE MODE
John Doe	Example date	Self-report

TOTAL

63 / 100

DEMO SYNTHETIC



63/100

What this report lays out

- Source instrument: WURS-25
- Item count: 25 items
- Response format: Not at all or very slightly, Mildly, Moderately, Quite a bit, Very much
- Respondent: Adult self-report

CLINICIAN REVIEW REQUIRED

This document demonstrates Lirena's report design using fictional data. It does not represent a scored WURS-25 result, cannot establish a diagnosis, and must not be placed in a clinical record.

A high or low WURS-25 result cannot establish or exclude childhood-onset ADHD. Memory, current mood, and missing school evidence all affect interpretation. The responsible clinician decides what the history contributes.

A report designed for clinical review

Synthetic WURS-25 example. The gauges and rows use this instrument's groups and range. They are not a client record.

REVIEW

Adults rate remembered childhood behaviours. The measure is typically completed by the adult patient, then reviewed beside current-symptom information, school or informant evidence where available, and a clinician-led developmental history.

CONTEXT

The total is the sum of the 25 items scored 0 to 4, giving 0 to 100. The published cutoff is 46 or higher (Ward, Wender and Reimherr, 1993).

BOUNDARY

A high or low WURS-25 result cannot establish or exclude childhood-onset ADHD. Memory, current mood, and missing school evidence all affect interpretation. The responsible clinician decides what the history contributes.

REPORT PRINCIPLE

Show the evidence, the version, and the boundary. Leave diagnosis and formulation with the clinician.

WURS-25 response pattern

Synthetic responses for WURS-25. The table uses this instrument's groups and range. It is not a client record and does not reproduce official item wording.

ITEM	GROUP	SYNTHETIC RESPONSE
1	Total	Not at all or very slightly
2	Total	Mildly
3	Total	Moderately
4	Total	Quite a bit
5	Total	Very much
6	Total	Not at all or very slightly
7	Total	Mildly
8	Total	Moderately
9	Total	Quite a bit
10	Total	Very much
11	Total	Not at all or very slightly
12	Total	Mildly
13	Total	Moderately
14	Total	Quite a bit
15	Total	Very much
16	Total	Not at all or very slightly

Synthetic WURS-25 values only. Not a client record.

Source-led by design

Lirena separates published methodology, product implementation, and clinical approval. A citation does not by itself authorize administration or prove a software scoring rule.

INSTRUMENT

The Wender Utah Rating Scale is an adult self-report measure of childhood symptoms associated with the Utah criteria for ADHD. The 25-item form is widely used as a retrospective companion to current-symptom measures. Recollection is not the same evidence as contemporaneous childhood records.

ADMINISTRATION

Adults rate remembered childhood behaviours. The measure is typically completed by the adult patient, then reviewed beside current-symptom information, school or informant evidence where available, and a clinician-led developmental history.

CLINICAL BOUNDARY

A high or low WURS-25 result cannot establish or exclude childhood-onset ADHD. Memory, current mood, and missing school evidence all affect interpretation. The responsible clinician decides what the history contributes.

METHODOLOGY

The total is the sum of the 25 items scored 0 to 4, giving 0 to 100. The published cutoff is 46 or higher (Ward, Wender and Reimherr, 1993).

SELECTED REFERENCES

1. Original WURS development

Ward MF, Wender PH, Reimherr FW. The Wender Utah Rating Scale: an aid in the retrospective diagnosis of childhood attention deficit hyperactivity disorder. American Journal of Psychiatry. 1993;150(6):885-890.

2. Discriminant validity in adults

McCann BS, Scheele L, Ward N, Roy-Byrne P. Discriminant validity of the Wender Utah Rating Scale for attention-deficit/hyperactivity disorder in adults. Journal of Neuropsychiatry and Clinical Neurosciences. 2000;12(2):240-245.

3. Scoring source Lirena follows

Source URL recorded on the Lirena scoring verification input.